

HERRING ISLAND SAILING FLEET: MARKS

| Mark | Lat. 38°N | Long. 76°W | Description |
|------|-----------|------------|---|
| A | 49°55.5" | 12°38.3" | Can "1" E. of Herring Island Shoal |
| B | 49°48.3" | 13°10.4" | Fl G 4 sec. "11" SW of Herring Island Shoal |
| C | 50°26.2" | 12°56.0" | Red Daymark "2" N of Herring Island Shoal |
| D | 49°34.5" | 13°15.7" | Nun "10" NE of Hambleton Point |
| E | 49°53.5 | 13°45.0" | Can "9" 0.6 nm N of Hambleton Point |
| F | 50°32.9" | 18°12.6" | Fl R "2A" off Wades Point ("Claiborne Bell") |
| H | 50°32.7" | 13°50.4" | Nun "8" 1.2 nm N of Hambleton Point |
| J | 50°31.1" | 12°29.3" | Green Daymark "3" S of Bennett Point |
| K | 50°48.3 | 12°02.6" | Fl. R 2.5 sec. "4" SE of Bennett Point |
| KP | 49°06.9" | 22°07.2" | Fl G 4 sec. 1.1 nm S of Kent Point |
| L | 54°03.7" | 13°59.3" | Gl G 4 sec. "1" SE of Parsons Island |
| M | 48°45.1" | 20°49.1" | Nun "2" 1.78 nm SSE of Kent Point |
| N | 52°35.0" | 15°05.4" | FL R 4 sec. "4" 0.8nm N of Tilghman Point |
| P | 51°39.4" | 16°57.2" | Can "3" W of Tilghman Point |
| PB | 55°19.0" | 14°08.0" | Nun "2" at entrance to Prospect Bay |
| R | 52°16.6" | 14°44.4" | Nun "6" 0.6 nm NE of Tilghman Point |
| S | 48°38.1" | 12°32.3" | Nun "12" NE of Deepwater Point ("Scotland") |
| T | 48°09.0" | 12°31.4" | Fl G 4 sec. "1" off Deepwater Point |
| V | 47°04.3" | 11°50.7" | Green Daymark "5" 0.8 nm S of Fairview Point ("Gibson Flats") |
| Y | 47°56.3" | 12°39.7" | Red Daymark "2" at entrance to Long Haul Creek |
| Z | 45°50.7" | 10°33.4" | Fl G 4 sec. "7" 0.6 nm N of Oak Creek entrance |

HERRING ISLAND SAILING FLEET: COURSES

1

7.2 nm

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| J to Port | 021°m | 0.6 nm |
| H to Starboard | 282°m | 1.1 nm |
| R to Starboard | 349°m | 1.9 nm |
| H to Starboard | 169°m | 1.9 nm |
| E to Port | 184°m | 0.7 nm |
| B to Port | 109°m | 0.5 nm |
| Finish | 082°m | 0.5 nm |

2

10.4 nm

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| J to Port | 021°m | 0.6 nm |
| H to Starboard | 282°m | 1.1 nm |
| L to Port | 009°m | 3.5 nm |
| E to Port | 188°m | 4.2 nm |
| B to Port | 109°m | 0.5 nm |
| Finish | 082°m | 0.5 nm |

3

14.2 nm

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| J to Port | 021°m | 0.6 nm |
| H to Starboard | 282°m | 1.1 nm |
| L to Port | 009°m | 3.5 nm |
| P to Port | 234°m | 3.3 nm |
| N to Starboard | 067°m | 1.7 nm |
| H to Starboard | 165°m | 2.3 nm |
| E to Port | 184°m | 0.7 nm |
| B to Port | 109°m | 0.5 nm |
| Finish | 082°m | 0.5 nm |

4

9.9 nm

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| J to Port | 021°m | 0.6 nm |
| H to Starboard | 282°m | 1.1 nm |
| R to Port | 349°m | 1.9 nm |
| N to Starboard | 330°m | 0.4 nm |
| R to Starboard | 150°m | 0.4 nm |
| H to Starboard | 169°m | 1.9 nm |
| E to Port | 184°m | 0.7 nm |
| D to Starboard | 138°m | 0.5 nm |
| S to Port | 160°m | 1.1 nm |
| Finish | 008°m | 1.3 nm |

5

11.9 nm

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| J to Port | 021°m | 0.6 nm |
| H to Port | 282°m | 1.1 nm |
| E to Port | 184°m | 0.7 nm |
| D to Starboard | 140°m | 0.5 nm |
| S to Starboard | 160°m | 1.1 nm |
| T to Port | 189°m | 0.5 nm |
| V to Port | 164°m | 1.2 nm |
| Z to Port | 151°m | 1.6 nm |
| V to Starboard | 331°m | 1.6 nm |
| T to Starboard | 344°m | 1.2 nm |
| Finish | 009° | 1.8 nm |

6

7.2 nm (MRYC)/ 6.9 nm (Y)

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| J to Port | 021°m | 0.6 nm |
| H to Starboard | 282°m | 1.1 nm |
| R to Port | 349°m | 1.9 nm |
| E to Port | 173°m | 2.5 nm |
| D to Starboard | 140°m | 0.5 nm |
| S to Starboard | 160°m | 1.1 nm |
| Y to Starboard | 199°m | 0.7nm |
| Finish* | 296°m | 0.3 nm |

*Yacht Club Finish: RC to finish at Mark Y or between RC and Isabel's Dock bar at MRYC

7

5.0 nm (MRYC)/ 4.7 nm (Y)

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| J to Port | 021°m | 0.6 nm |
| H to Port | 282°m | 1.1 nm |
| E to Port | 184°m | 0.7 nm |
| D to Starboard | 140°m | 0.5 nm |
| S to Starboard | 160°m | 1.1 nm |
| Y to Starboard | 199°m | 0.7nm |
| Finish* | 296°m | 0.3 nm |

*Yacht Club Finish: RC to finish at Mark Y or between RC and Isabel's Dock bar at MRYC

8

4.2 nm

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| K to Port | 038°m | 1.0 nm |
| J to Starboard | 241°m | 0.4 nm |
| H to Port | 281°m | 1.1 nm |
| E to Port | 184°m | 0.7 nm |
| B to Port | 109°m | 0.5 nm |
| Finish | 082°m | 0.5 nm |

9

7.9 nm

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| K to Port | 038°m | 1.0 nm |
| J to Starboard | 241°m | 0.4 nm |
| H to Starboard | 282°m | 1.1 nm |
| R to Port | 349°m | 1.9 nm |
| E to Port | 173°m | 2.5 nm |
| B to Port | 109°m | 0.5 nm |
| Finish | 082°m | 0.5 nm |

10

13.8 nm

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| K to Port | 038°m | 1.0 nm |
| J to Starboard | 241°m | 0.4 nm |
| H to Starboard | 282°m | 1.1 nm |
| L to Port | 009°m | 3.5 nm |
| PB to Port | 006°m | 1.3 nm |
| L to Starboard | 186°m | 1.3 nm |
| H to Port | 189°m | 3.5 nm |
| E to Port | 184°m | 0.7 nm |
| B to Port | 109°m | 0.5 nm |
| Finish | 082°m | 0.5 nm |

11

9.9 nm

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| K to Port | 038°m | 1.0 nm |
| J to Starboard | 241°m | 0.4 nm |
| H to Starboard | 282°m | 1.1 nm |
| R to Port | 349°m | 1.9 nm |
| H to Starboard | 169°m | 1.9 nm |
| E to Port | 184°m | 0.7 nm |
| S to Port | 154°m | 1.6 nm |
| Finish | 008°m | 1.3 nm |

12

6.1 nm

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| K to Port | 038°m | 1.0 nm |
| J to Starboard | 241°m | 0.4 nm |
| H to Port | 281°m | 1.1 nm |
| E to Port | 184°m | 0.7 nm |
| S to Port | 154°m | 1.6 nm |
| Finish | 008°m | 1.3 nm |

13

5.8 nm (MRYC)/5.5 nm (Y)

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| K to Port | 038°m | 1.0 nm |
| J to Starboard | 241°m | 0.4 nm |
| H to Port | 281°m | 1.1 nm |
| E to Port | 184°m | 0.7 nm |
| S to Starboard | 154°m | 1.6 nm |
| Y to Starboard | 199°m | 0.7nm |
| Finish* | 296°m | 0.3 nm |

*Yacht Club Finish: RC to finish at Mark Y or between RC and Isabel's Dock bar at MRYC

14

11.2 nm (MRYC)/10.9 nm (Y)

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| K to Port | 038°m | 1.0 nm |
| J to Starboard | 241°m | 0.4 nm |
| H to Port | 281°m | 1.1 nm |
| E to Port | 184°m | 0.7 nm |
| S to Starboard | 154°m | 1.6 nm |
| T to Port | 189°m | 0.5 nm |
| V to Port | 164°m | 1.2 nm |
| Z to Starboard | 151°m | 1.6 nm |
| V to Starboard | 331°m | 1.6 nm |
| Y to Starboard | 335°m | 1.1 nm |
| Finish* | 296°m | 0.3 nm |

*Yacht Club Finish: RC to finish at Mark Y or between RC and Isabel's Dock bar at MRYC

15

6.4 nm

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| S to Port | 188°m | 1.3 nm |
| A to Port | 008°m | 1.3 nm |
| J to Port | 021°m | 0.6 nm |
| H to Port | 282°m | 1.1 nm |
| E to Port | 184°m | 0.7 nm |
| C to Starboard | 060°m | 0.8 nm |
| Finish | 163°m | 0.6 nm |

16

9.1 nm

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| S to Starboard | 188°m | 1.3 nm |
| A to Port | 008°m | 1.3 nm |
| C to Port | 343°m | 0.6 nm |
| R to Port | 333°m | 2.3 nm |
| H to Starboard | 169°m | 1.9 nm |
| E to Port | 184°m | 0.7 nm |
| B to Port | 109°m | 0.5 nm |
| Finish | 082°m | 0.5 nm |

17

12.5 nm

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| S to Starboard | 188°m | 1.3 nm |
| E to Starboard | 334°m | 1.6 nm |
| N to Port | 350°m | 2.9 nm |
| P to Port | 248°m | 1.7 nm |
| N to Starboard | 68°m | 1.7 nm |
| C to Starboard | 153°m | 2.7 nm |
| Finish | 163°m | 0.6 nm |

18

8.4 nm

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| S to Starboard | 188°m | 1.3 nm |
| E to Starboard | 334°m | 1.6 nm |
| H to Port | 004°m | 0.7 nm |
| R to Starboard | 349°m | 1.9 nm |
| C to Starboard | 154°m | 2.3 nm |
| Finish | 163°m | 0.6 nm |

19

4.3 nm

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| S to Starboard | 188°m | 1.3 nm |
| E to Starboard | 334°m | 1.6 nm |
| C to Starboard | 060°m | 0.8 nm |
| Finish | 163°m | 0.6 nm |

20

10.7 nm(MRYC)/10.4 nm (Y)

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| S to Starboard | 188°m | 1.3 nm |
| D to Port | 340°m | 1.1 nm |
| E to Starboard | 321°m | 0.5nm |
| H to Port | 004°m | 0.7 nm |
| R to Starboard | 349°m | 1.9 nm |
| C to Starboard | 153°m | 2.3 nm |
| A to Starboard | 165°m | 0.6 nm |
| S to Starboard | 188°m | 1.3 nm |
| Y to Starboard | 199°m | 0.7nm |
| Finish* | 296°m | 0.3 nm |

*Yacht Club Finish: RC to finish at Mark Y or between RC and Isabel's Dock bar at MRYC

21

10.7 nm(MRYC)/10.4 nm (Y)

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| S to Starboard | 188°m | 1.3 nm |
| E to Starboard | 334°m | 1.6 nm |
| C to Starboard | 060°m | 0.8 nm |
| A to Starboard | 165°m | 0.6 nm |
| S to Starboard | 188°m | 1.3 nm |
| Y to Starboard | 199°m | 0.7nm |
| Finish* | 296°m | 0.3 nm |

*Yacht Club Finish: RC to finish at Mark Y or between RC and Isabel's Dock bar at MRYC

22

4.3 nm

| Mark | Bearing | Distance |
|-------------|----------------|-----------------|
| D to Port | 246°m | 0.5 nm |
| S to Port | 160°m | 1.1 nm |
| A to Port | 012°m | 1.3 nm |
| J to Port | 012°m | 0.6 nm |
| Finish | 201°m | 0.6 nm |

23

6.4 nm

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| D to Port | 246°m | 0.5 nm |
| S to Port | 160°m | 1.1 nm |
| A to Port | 007°m | 1.3 nm |
| C to Port | 343°m | 0.6 nm |
| H to Port | 290°m | 0.7 nm |
| E to Port | 184°m | 0.7 nm |
| C to Starboard | 059°m | 0.9 nm |
| Finish | 163°m | 0.6 nm |

24

9.4 nm

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| D to Port | 246°m | 0.5 nm |
| S to Port | 160°m | 1.1 nm |
| A to Port | 007°m | 1.3 nm |
| C to Port | 343°m | 0.6 nm |
| R to Port | 333°m | 2.3 nm |
| H to Starboard | 169°m | 1.9 nm |
| E to Port | 184°m | 0.7 nm |
| B to Port | 109°m | 0.5 nm |
| Finish | 082°m | 0.5 nm |

25

15.8 nm

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| D to Port | 246°m | 0.5 nm |
| S to Port | 160°m | 1.1 nm |
| A to Port | 007°m | 1.3 nm |
| L to Port | 356°m | 4.3 nm |
| P to Port | 234°m | 3.3 nm |
| N to Starboard | 067°m | 1.7 nm |
| H to Port | 165°m | 2.3 nm |
| C to Starboard | 110°m | 0.7 nm |
| Finish | 163°m | 0.6 nm |

26

8.4 nm(MRYC)/8.1 nm(Y)

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| B to Starboard | 265°m | 0.4 nm |
| E to Starboard | 291°m | 0.4 nm |
| R to Starboard | 353°m | 2.5 nm |
| H to Starboard | 169°m | 1.9 nm |
| E to Port | 165°m | 0.6 nm |
| S to Starboard | 154°m | 1.6 nm |
| Y to Starboard | 199°m | 0.7nm |
| Finish* | 296°m | 0.3 nm |

*Yacht Club Finish: RC to finish at Mark Y or between RC and Isabel's Dock bar at MRYC

27

6.1 nm

| Mark | Bearing | Distance |
|----------------|---------|----------|
| B to Starboard | 265°m | 0.4 nm |
| E to Starboard | 291°m | 0.4 nm |
| R to Starboard | 353°m | 2.5 nm |
| C to Starboard | 153°m | 2.3 nm |
| Finish | 163°m | 0.6 nm |

28

13.4 nm

| Mark | Bearing | Distance |
|----------------|---------|----------|
| B to Starboard | 265°m | 0.4 nm |
| E to Starboard | 291°m | 0.4 nm |
| R to Port | 353°m | 2.5 nm |
| N to Port | 331°m | 0.4 nm |
| F to Starboard | 241°m | 3.2 nm |
| N to Starboard | 061°m | 3.2 nm |
| C to Starboard | 153°m | 2.7 nm |
| Finish | 163°m | 0.6 nm |

29

8.8 nm

| Mark | Bearing | Distance |
|----------------|---------|----------|
| B to Starboard | 265°m | 0.4 nm |
| E to Starboard | 291°m | 0.4 nm |
| R to Starboard | 353°m | 2.5 nm |
| C to Starboard | 153°m | 2.3 nm |
| A to Starboard | 163°m | 0.6 nm |
| S to Port | 188°m | 1.3 nm |
| Finish | 008°m | 1.3 nm |

30

4.8 nm

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| B to Starboard | 265°m | 0.4 nm |
| H to Port | 336°m | 0.9 nm |
| S to Port | 163°m | 2.2 nm |
| Finish | 008°m | 1.3 nm |

31

5.5 nm(MRYC)/5.2 nm(Y)

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| B to Starboard | 265°m | 0.4 nm |
| E to Starboard | 291°m | 0.4 nm |
| H to Starboard | 005°m | 0.7 nm |
| J to Starboard | 102°m | 1.1 nm |
| S to Starboard | 192°m | 1.9 nm |
| Y to Starboard | 199°m | 0.7nm |
| Finish* | 296°m | 0.3 nm |

*Yacht Club Finish: RC to finish at Mark Y or between RC and Isabel's Dock bar at MRYC

32

11.6 nm(MRYC)/11.3 nm(Y)

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| B to Starboard | 265°m | 0.4 nm |
| E to Starboard | 291°m | 0.4 nm |
| H to Starboard | 005°m | 0.7 nm |
| L to Starboard | 009°m | 3.5 nm |
| A to Starboard | 176°m | 4.3 nm |
| S to Starboard | 187°m | 1.3 nm |
| Y to Starboard | 199°m | 0.7nm |
| Finish* | 296°m | 0.3 nm |

*Yacht Club Finish: RC to finish at Mark Y or between RC and Isabel's Dock bar at MRYC

33

11.9 nm

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| C to Port | 343°m | 0.6 nm |
| H to Port | 290°m | 0.7 nm |
| E to Port | 184°m | 0.7 nm |
| D to Starboard | 140°m | 0.5 nm |
| S to Port | 160°m | 1.1 nm |
| Finish | 008° | 1.3 nm |

34

6.5 nm

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| C to Port | 343°m | 0.6 nm |
| R to Port | 333°m | 2.3 nm |
| H to Starboard | 169°m | 1.9 nm |
| E to Port | 184°m | 0.7 nm |
| B to Port | 109°m | 0.5 nm |
| Finish | 082°m | 0.5 nm |

35

10.8 nm

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| C to Port | 343°m | 0.6 nm |
| N to Port | 333°m | 2.7 nm |
| P to Starboard | 248°m | 1.7 nm |
| N to Starboard | 068°m | 1.7 nm |
| H to Starboard | 165°m | 2.3 nm |
| E to Port | 184°m | 0.7 nm |
| B to Port | 109°m | 0.5 nm |
| Finish | 082°m | 0.5 nm |

36

16.3 nm

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| L to Port | 357°m | 4.3 nm |
| F to Port | 234°m | 4.8 nm |
| N to Starboard | 061°m | 3.2 nm |
| H to Starboard | 165°m | 2.3 nm |
| E to Port | 184°m | 0.7 nm |
| B to Port | 109°m | 0.5 nm |
| Finish | 082°m | 0.5 nm |

37

3.1 nm

| Mark | Bearing | Distance |
|-------------|----------------|-----------------|
| C to Port | 343°m | 0.6 nm |
| H to Port | 290°m | 0.7 nm |
| E to Port | 184°m | 0.7 nm |
| D to Port | 140°m | 0.5 nm |
| Finish | 065° m | 0.6 nm |

38

8.3 nm

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| C to Port | 343°m | 0.6 nm |
| R to Port | 333°m | 2.3 nm |
| H to Starboard | 169°m | 1.9 nm |
| S to Port | 163°m | 2.2 nm |
| Finish | 008°m | 1.3 nm |

39

12.3 nm(MRYC)/12.0 nm(Y)

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| L to Port | 357°m | 4.3 nm |
| N to Port | 221°m | 1.7 nm |
| R to Starboard | 148°m | 0.4 nm |
| H to Port | 169°m | 1.9 nm |
| J to Starboard | 102°m | 1.1 nm |
| S to Port | 192°m | 1.9 nm |
| Y to Starboard | 199°m | 0.7nm |
| Finish* | 296°m | 0.3 nm |

*Yacht Club Finish: RC to finish at Mark Y or between RC and Isabel's Dock bar at MRYC

40

5.3 nm(MRYC)/5.0 nm(Y)

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| C to Port | 343°m | 0.6 nm |
| H to Port | 290°m | 0.7 nm |
| J to Starboard | 102°m | 1.1 nm |
| S to Port | 192°m | 1.9 nm |
| Y to Starboard | 199°m | 0.7nm |
| Finish* | 296°m | 0.3 nm |

*Yacht Club Finish: RC to finish at Mark Y or between RC and Isabel's Dock bar at MRYC

41

20.1 nm

| Mark | Bearing | Distance |
|-----------------|----------------|-----------------|
| C to Port | 343°m | 0.6 nm |
| N to Port | 333°m | 2.7 nm |
| F to Port | 241°m | 3.2 nm |
| M to Starboard | 239°m | 2.7 nm |
| KP to Starboard | 301°m | 1.1 nm |
| N to Starboard | 68°m | 6.5 nm |
| C to Starboard | 153°m | 2.7 nm |
| Finish | 163°m | 0.6 nm |

42

22.7 nm

| Mark | Bearing | Distance |
|-----------------|----------------|-----------------|
| L to Port | 357°m | 4.3 nm |
| M to Starboard | 236°m | 7.5 nm |
| KP to Starboard | 301°m | 1.1 nm |
| N to Starboard | 68°m | 6.5 nm |
| C to Starboard | 153°m | 2.7 nm |
| Finish | 163°m | 0.6 nm |

43

22.5 nm

| Mark | Bearing | Distance |
|-----------------|----------------|-----------------|
| S to Starboard | 188°m | 1.3 nm |
| N to Port | 344°m | 4.4 nm |
| F to Port | 241°m | 3.2 nm |
| M to Starboard | 239°m | 2.7 nm |
| KP to Starboard | 301°m | 1.1 nm |
| N to Starboard | 68°m | 6.5 nm |
| C to Starboard | 153°m | 2.7 nm |
| Finish | 163°m | 0.6 nm |

44

14.2 nm(MRYC)/ 13.9 nm(Y)

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| C to Port | 343°m | 0.6 nm |
| H to Starboard | 290°m | 0.7 nm |
| L to Port | 009°m | 3.5 nm |
| PB to Port | 006°m | 1.3 nm |
| L to Starboard | 186°m | 1.3 nm |
| H to Starboard | 189°m | 3.5 nm |
| E to Port | 184°m | 0.7 nm |
| D to Starboard | 141°m | 0.5 nm |
| S to Starboard | 159°m | 1.1 nm |
| Y to Starboard | 199°m | 0.7nm |
| Finish* | 296°m | 0.3 nm |

*Yacht Club Finish: RC to finish at Mark Y or between RC and Isabel's Dock bar at MRYC

45

16.4 nm(MRYC)/16.1 nm(Y)

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| L to Port | 357°m | 4.3 nm |
| H to Starboard | 189°m | 3.5 nm |
| E to Port | 184°m | 0.7 nm |
| D to Starboard | 141°m | 0.5 nm |
| S to Starboard | 159°m | 1.1 nm |
| T to Port | 189°m | 0.5 nm |
| V to Port | 164°m | 1.2 nm |
| Z to Starboard | 151°m | 1.6 nm |
| V to Starboard | 331°m | 1.6 nm |
| R to Starboard | 335°m | 1.1 nm |
| Finish* | 296°m | 0.3 nm |

*Yacht Club Finish: RC to finish at Mark Y or between RC and Isabel's Dock bar at MRYC

46

20.4 nm(MRYC)/20.1 nm(Y)

| Mark | Bearing | Distance |
|----------------|----------------|-----------------|
| PB to Port | 353°m | 5.5 nm |
| L to Starboard | 186°m | 1.3 nm |
| P to Port | 234°m | 3.3 nm |
| F to Starboard | 232°m | 1.5 nm |
| N to Starboard | 061°m | 3.2 nm |
| H to Starboard | 165°m | 2.3 nm |
| E to Port | 184°m | 0.7 nm |
| S to Starboard | 154°m | 1.6 nm |
| Y to Starboard | 199°m | 0.7nm |
| Finish* | 296°m | 0.3 nm |

*Yacht Club Finish: RC to finish at Mark Y or between RC and Isabel's Dock bar at MRYC